

असाधारण EXTRAORDINARY

भाग II--खण्ड 3--उप-खण्ड (i) PART II--Section 3---Sub-section (i)

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

र्स॰ 405] No. 405] नई दिल्ली, बुधवार, अक्तूबर 4, 1995/आश्विन 12, 1917 NEW DELHI, WEDNESDAY, OCTOBER 4, 1995/ASVINA 12, 1917

> उद्योग मंत्रालय (औद्योगिक विकास विभाग) विस्फोटक डैस्क

अधिसृचना नई दिल्ली, 29 सितम्बर, 1995

सा॰ का॰ नि॰ 675 (६४).—केन्द्रीय सरकार, विस्फोटक अधिनयम, 1884 (1884 का 4) की धारा 14 की उप-धारा 2 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए एतद्द्वारा मै॰ आयश एण्ड नैचुरल गैस कारपोरेशन लि॰, 10, टिम्बर प्लाट, मद्रास हार्बर, मद्रास को मै॰ ष्लुम्बर्गर वैल सर्विसेज, पी॰ ओ॰ बाक्स सं॰ 1590, एयरलाइन रोड, बोद्दारिन, टेक्सान्त, अमरीका से मद्रास एयरपोर्ट पर निम्नलिखित विस्फोटकों के आयात के लिए विस्फोटक नियम, 1983 के नियम 31(2) के प्रवर्तन से सूट देती है :--

| वस्तु का नाम व वर्णन ——— | मात्रा (सं॰) | बाक्स (सं॰) | ग्रास वेट (किलोग्राम में) |
|--|---|--|--|
| सेकन्ड्री इंगनायटर पार्ट सः बी 021121 यू॰ एन॰ सं॰ 0454 वर्ग 1.4 एस (इंगनायटर) | 25 (पच्चीस) | 1 (एक) ं | 1 (एक) |
| प्रायमर इगनायटर 7 ए.एम पी. पार्ट २० एच. 223460 मू.एन. सं॰ 0325 वर्ग 1.4 जी | 480 (चार सौ अस्सी) | 4 (चार) | 3 (तीन) |
| इगनायटर बी.पी3 बी. पर्ट सं॰ बी. 027708 यू. एन. सं॰ 0326 त्रर्ग 1.4 जी (इंग्नायटर्स) | 25 (पच्चीस) | 1 (एक) | 3 (तीन) |
| पावर सी. एच. जी. 10 ग्हेंडर्ड पार्ट सं॰ बी. 023377 यू. एन. सं॰ 1325 वर्ग 4.1 (फ्लेमेबल सॉलीड, एन.ओ.सी.) | 30 (तीस) | 5 (पांच) | 13 (तेरह) |
| | सेकन्ड्री इंगनायटर पार्ट स्थ बी 021121 यू॰ एन॰ सं॰ 0454 वर्ग 1.4 एस (इंगनायटर) प्रायमर इंगनायटर 7 ए.एम पी. पार्ट मं॰ एच. 223460 मू.एन. सं॰ 0325 वर्ग 1.4 जी इंगनायटर बी.पी3 बी. पार्ट सं॰ बी 027708 यू. एन. सं॰ 0326 वर्ग 1.4 जी (इंग्नायटर्स) पांवर सी. एच. जी. 10 रहेंडर्ड पार्ट सं॰ बी. 023377 | (सं॰) सेकन्ड्री इगनायटर पार्ट स्थ बी 021121 यू॰ एन॰ सं॰ 0454 वर्ग 1.4 एस (इगनायटर) प्रायमर इगनायटर 7 ए.एम पी. पार्ट सं॰ एच. 223460 प्रू.एन. सं॰ 0325 वर्ग 1.4 जी इगनायटर बी.पी3 बी. पार्ट सं॰ बी 027708 यू. एन. सं॰ 0326 वर्ग 1.4 जी (इग्नायटर्स) पावर सी. एच. जी. 10 रहेंडर्ड पार्ट सं॰ बी. 023377 30 (तीस) | (सं॰) (सं॰) सेकन्ड्री इगनायटर पार्ट सः बी 021121 यू॰ एन॰ सं॰ 0454 वर्ग 1.4 एस (इगनायटर) प्रायमर इगनायटर 7 ए.एम पी. पार्ट सं॰ एच. 223460 यू.एन. सं॰ 0325 वर्ग 1.4 जी इगनायटर बी.पी3 बी. पर्ट सं॰ बी 027708 यू. एन. सं॰ 0326 वर्ग 1.4 जी (इग्नायटर्स) पावर सी. एच. जी. 10 रहेंडर्ड पार्ट सं॰ बी. 023377 30 (तीस) 5 (पांच) |

| == - | GAZETTE OF INDIA : EXT | | | [FAKI II—SEC. 5(1) |
|------|--|---------------------------------|-------------|-----------------------|
| क्रम | वस्तु का नाम य वर्णन | - मात्रा | बाक्स | ग्रास वेट |
| सं∘ | | (ゼゥ <u>)</u> | (सं॰) | (किलोग्राम में) |
| 5. | पावर चार्ज 10 जी एम. 265 एफ एनबाय एच | 480 (चार सौ अस्सी) | 4 | |
| | पार्ट नं॰ 223545 यू. एन नं॰ 0349 वर्ग 1.4 एस | | (चार) | |
| | (आर्टीकल्स, विस्फोटक, एन. ओ. सी.) | | | |
| - | | . 4 6. | | 32 |
| 6. | पावडर चार्ज 8 जी. एम. पार्ट नं॰ एच. 430304 | 480 (चार सौ अस्सी) | 4 | (बत्तीस) |
| | यू. एन. नं 0349 वर्ग । 4 एस | | (चार) | |
| | (आर्टीकल्स, विस्फोटन, एन. ओ. सी.) | | ٠ | |
| 7. | डेट कार्ड आर. डी. ए क ∃. 80 जी. आर. 265 | 500 एफ.टी. | 1 | |
| | एफ. एन. वाय. एच. पार्ट नं॰ एच. 304843 | (पांच सौ) | (एक) | |
| | यू. एन. नं॰ 0289 वर्ग । 4 डी (कार्ड डेटोनेटींग) | (, , | | |
| | g () 020 / | • | | 38 |
| 8. | डेट कार्ड 80 जी. आः. एच. एस. एक्स. एनवाय एच. | 500 एफ.टी. | 1 | (अढ़तीस) |
| 0, | पार्ट नं॰ एच. 304800 यू. एन. नं॰ 0289 | (पांच सौ) | (एक) | • • |
| | वर्ग 1.4 डी. (कार्ड केरोनेटींग) | , , , , , , , | | |
| | , | | 1 | - |
| 9. | डेटोनेटर नोबल ३०० एमः, पार्ट नं॰ पी-190860 | 25 | 1 | 11 |
| | यू. एन. नं॰ 0367 वर्ग 1.4 एस. (फ्यूज़ डेटोनेटींग) | (पच्चीस) | (एक) | (ग्यारह) |
| | - | 4.10 | ^ | 209 |
| 10. | 41 बी. हायपरजेट 11, आर.डी.एवस.पी.पी.जी. पार्ट नं | 640 | 8 | 208 (दो सौ आठ) |
| | एच. 523002 यू.एन. ^{२६} , 0441 वर्ग 1.4 एस. | (छ: सौ चालीस) | (आठ) | (दासाआठ) |
| | (चार्जेस, शापेड, कर्मारियल) | | | |
| 11. | डेटोनेटर नोबल 300 एष्ट, पार्ट नं॰ पी. 448696 यू. एन. | 50 | 2 | 22 |
| | नं॰ 0367 वर्ग 1.4 एस (फ्यूज़ डेटोनेटींग) | (पंचास) | (दो) | (बाईस) |
| | | | | |
| 12. | पावर सी. एच. जी. 10 म्टेंडर्ड पार्ट नं॰ बी. 023377 यू. एन. | 10 | 1 | 6 |
| | नं॰ 1325 वर्ग 4. ' फ्ले मेबल सॉर्ल'ड ऑर्गेनीक एन.ओ.एस. | (दस) | (एक) | (छ:) |
| 13. | डेट कार्ड आर. डी. एक्ट. 80 जी. आर. 265 एफ. एन. वाय. एल. | 500 एफ.टी. | 1 7 | |
| | पार्ट नं॰ एच. 304843 यू.एन. नं॰ ว289 वर्ग 1.4 डी. | (पांच सौ) | (एक) | • |
| | (कार्ड, डेटोनेटींर) | (, | | |
| | <u> </u> | | | |
| 14. | डेट कार्ड आर. डी. एक्स. 40 जी. आर. लेड पार्ट नं॰ एच. | 100 एफ.टो. ८ ४१ ० | 1 (7777) | • |
| | 106960 यू.एन. न॰ 02छ७ वर्ग 1.4 डी. (कार्ड डेटोनेटींग) | (सी) | (एक) | 70.3 |
| 1.5 | | 500 mm - 1 | | 68.3 (अढ्सठ दशमलव |
| 15. | डेट कार्ड 80 जी. आर. एस. एम. एक्स. एन. वाय. एच. पार्ट | 500 एफ.टी. (पांच सौ) | 1 (एक) | (अढ्सठ दशमलव तीन) |
| | नं॰ एच. 304800 यू.एन. नं॰ 0289 वर्ग 1.4 डी (कार्ड डेटोनेटींग) | (पाच सा) | (५५) | (11.1) |
| | (କାଞ୍ଜମେଟୋମ) | | | |
| 16. | डेट कार्ड 40 जी. आर. एच. एम. एक्स. एन. वाय. एच. पार्ट | 500 एफ.टी. | 1 | |
| | नं॰ एच. 447050 यू.ग्रन्. नं॰ 0289 वर्ग 1,4 डी | (पांच सौ) | (एक) | |
| | (कार्ड डेटोनेटींग) | | | |
| 4 | | 95 | umi .a | 11 |
| 17 | डेटोनेटर नोबल 300 एक. पार्ट निं॰ एच. 190860 यू.एन. नं॰ | 25 | 1 | 11 |
| | 0367 वर्ग 1.4 एस. (फ्यूज/डेटोनेटिंग) | (पन्चीस) | _(एक) _: | (ग्यारह) |

| — क्रम 'तं॰ | वस्तु का नाम व छर्णन | == == == == == == ,- मात्रा (सं॰) | ्याक्स (सं॰) | ग्रास वेट (किलोग्राम में) |
|-------------------|---|---|-----------------|------------------------------|
| 18. | 41 बी. हायपरजेट 1। आर. डी. एक्स., पी. पी. जी., पार्ट नं॰ एच. 52002 यू. एन. नं॰ 0441 वर्ग 1.4 एम. (चार्जेस, शॉपेड, कमर्शियस) | 800 (आठ सौ) | 10 ((दस) | |
| 19. | 20 डी एम. पंचहर आर. ंश. एक्स. 1.9/16" पार्ट नं॰ एच. 132902 यू. एग. 🗝 0441 वर्ग 1.4 एस. | 30 (तीस) | 1 (एक) | 541 |
| 20. | 2.1/8 इनरजेट 111 आर. डी. एक्स. पार्ट नं॰ एच. 429563 यू. एन. नं॰ (चाजेंस, शॉपेड, कमर्शियल) | 540 (पांच सौ चालीस) | 6 (छ:) |) (पांच सौ इक्तालीस) |
| 21. | 1.11/16" अल्ट्रा कॅप पारे नं॰ एच. 448315 यु.एन. नं॰ 0441 वर्ग 1.4 एस. (चान्नेस, शॉपेड, कमर्शियल) | 540 (पांच सौ चालीस) | 6 (छ:) | |
| 22. | डेटोनेटर डी. एफ. गी. 10 300 एफ पार्ट नं॰ एच. 448887 यू. एन. नं॰ 0456 वर्ग 1.4 एस. (डेग्रोनेटर/इलेक्ट्रिक) | 50 (पचास) | 1 (एक) | ⁵ (पांच) |

निम्नत्विखित शर्ती पर :---

- 1. नागरिक विमानन महानिदेशालय और भारतीय अन्तर्गष्ट्रीय हवाई अड्डा प्राधिकरण से आवश्यक स्वीकृति प्राप्त की जाए और उपर्युक्त दो प्राधिकरणों द्वारा लगाई गई शतीं, चिंद कोई धों, का सख्ती से पालन किया जाएगा;
 - केवल प्रशास 1 4 के अनुरूप निर्मित विस्फोटकों का ही आयात किया जायेगा;
- 3. नियम 31 के 34-नियम (2) के सिवाय, विस्फोटक नियम, 1983 यथा अंतर्विष्ट विस्फोटकों का कब्ज़ा, परिवहन, प्रयोग और आयात से संबंधित सुसंगत प्रावधानों का क्लाई से पालन किया जायेगा:
- 4. विस्फोटक नियम, 1983 के अधीन अनुज्ञप्त पर्याप्त संख्या में विस्फोटक वैन विमानपत्तन पर तैयार रखे जायेंगे जिससे कि विस्फोटकों को वायुयान से उसके उतरते हो शोधता से हटाया जा सके;
- 5. वायुयान को किमानपत्तन पर दूरस्थ स्थान पर खड़ा किया जाएगा और विस्फोटकों का वायुयान से वैनों में अंतरण आरम्भ करने से पहले महानिदेशक, नागरिक विमानन के परामर्श से पर्याप्त संख्या में सुरक्षा गाड़ों का प्रबन्ध कर वायुयान और विस्फोटक वैन के चारों ओर कम से कम 500 मीटर क्षेत्र को चेर लिया जायेगा । इंतजाम तब तक जारी रहेगा जब तक कि अंतरण पूरा नहीं कर लिया जाता है और सम्यक रूप से बन्द वैन स्थल नहीं छोड़ देती है । घेराबन्द क्षेत्र के अन्दः कोई धूम्रपान और खुली बत्ती के उपयोग की अनुमति नहीं दो जाएगी; और
- 6. उपर्युक्त विस्फोरकों को ले जा रही वैन विस्फोटक नियम 1983 के अधीन अनुज्ञात भण्डारकरण मैगज़ीन को ओर अग्रसर होगी और रास्ते में कोई अनुचित विलंब नहीं किया जायेगा और परिवहन के दौरान सभी सुसंगत नियम और स्थानीय विनियमों का पालन किया जायेगा ।

[फा॰ सं॰ 2/16/94-डी.पी.आर./ई.जी.जी.एस.] ए॰ ई॰ अहमद, संयुक्त सचिव

MINISTRY OF INDUSTRY (Department of Industrial Development) Explosives Desk

NOTIFICATION

New Delhi, the 29th September, 1995

G.S.R. 675 (E).—In exercise of the powers conferred by Sub-section 2 of Section 14 of the Explosives Act, 1884 (4 of 1884), the Central Government hereby exempts M/s. Oil & Natural Gas Corporation Ltd., 10, Timber Plot, Madras Harbour, Madras, from the observance of Rule 31(2) of the Explosives Rules, 1983, for import of following explosives from M/s. Schlumberger Well Services, P.O. Box 1590, Airlines Road, Bosharon, Texas, USA at the Madras Airport:

| PART | I—SEC.3(i | i |
|------|-----------|---|
|------|-----------|---|

THE GAZETTE OF INDIA: EXTRAORDINARY

| 4 | THE GAZETTE OF INDIA | EXTRAORDINARY | L. | PART I—SEC.3(i) |
|------------|---|----------------------------|--------------------|--------------------------------|
| SI. No. | Name and Description | "Qty. (In Nos.) | Boxes (In Nos.) | Gr. Weight (In Kilograms) |
| 1. | Secondary Igniter Part No. B 021121 UN No. 0454 Class: 1.4 S (Igniters) | 25 (Twenty five) | l (One) | 1 (One) |
| 2. | Primer Igniter 7 AMP Fart No. F 223460 UN No. 0325 Class: 1.4 G (Igniters) | 480 (Four eighty) | 4 (Four) | 1 ('Cl) |
| 3. | Igniter BP-3 B Part No. B 027708 UN No. 0325 Class 1.4 G (Igniters) | 25 (Twenty five) | 1 (One) | 3 (Three) |
| 4. | Power CHG 10 Stendard Part No. B 023377 UN No. 1325 Class: 4. (Flammable Solid, N.O.C.) | 30 (Thirty) | 5 (Five) | 13 (Thirteen) |
| 5. | Power Charge 10 GM .265 F NYL Part No. H 223545 UN No. 0349 Class: 1 4 S (Articles, Explosives, N.O.S.) | 480 (Four eighty) | 4 (Four) | 32 (Thirty Two) |
| 6. | Powder Charge 8 GM Part No. H 430304 UN No. 0349 Class: 1.4S (Articles, Explosives, N.O.S.) | 480 (Four eighty) | 4 (Four) | 1 wo, |
| 7. | Det Cord RDX 80 GR 265 F NYL Part No. H 304843 UN No. 0289 Class: 1.4 D (Cord, Detonating) | 500 FT (Five hundred) | 1 (One) | 20 (Thints |
| 8. | Det Cord 80 GR HMX NYL Part No. H 304800 (UN No. 0289 Class 1.4 D (Cord Detonating) | 500 FT (Five hundred) | 1 (One) | 38 (Thirty eight) |
| 9. | Detonator Nobel 300 F Part No P 190860 UN No. 0367 Class: 1.4 S (Fuzes, Detonating) | 25 (Twenty five) | l (One) | H (Eleven) |
| 10. | 41 B Hyperget II, RDX PPG Part No. H 523002 UN No. 0441 Class: 1.4 S (Charges, Shaped, Commercial) | 640 (Six hundred forty) | 8 (Eight) | 208 (Two hundred eight) |
| 11. | Detonator Nobel 300 F Part No. P 448696 UN No. 0367 Class: † 4 S (Fuzes, Detonating) | 50 (Fifty) | 2 (Two) | 22 (Twenty Two) |
| 12. | Power CHG 10 S.andard Part No. B 023377 UN No. 1325 Class: 41 (Flammable Solid Organic N.O.S.) | 10 (Ten) | 1 (One) | 6 (Six) |
| 13. | Det Cord RDX 80 GR 265 F NYL Part No. H 304843 UN No. 0239 Class 1.4 D (Cord, Detonating) | 500 FT (Five hundred) | 1 (One) | |
| 14. | Det Cord RDX 40 CF, Lead Part No. H 106960 UN No. 0289 Class: 1.4 D (Cord, Detonating) | 100 FT (One hundred) | I (One) | (0.3.10) |
| 15. | Det Cord 80 GR HMK NYL Part No. H 304800 UN No. 0289 Class : 1.4 D (Cord, Detonating) | 300 FT (Five hundred) | l (One) | 68.3 (Sixty eight point three) |
| 16. | Det Cord 40 GR HM × NYL Part No. H 447050 UN No. 0289 Class : 1.4 D (Cord, Detonating) | 500 FT (Five hundred) | 1 (One) | • |
| 17. | Detonator Nobel 300 F Part No. H 190860 UN No. 0367 Class: 1.4 S (Fuzes, Detonating) | 25 (Twenty five) | 1 (One) | 11 (Eleven) |

| SI. Name and Description No. | - Qty. (In Nos.) | Boxes (In Nos.) | Gr. Weight (In Kilograms) |
|--|------------------------|--------------------|---------------------------|
| 18. 41 B Hyperjet II RDX. PPG Part No. H 523002 UN No. 0441 Class: 1.4 S (Charges, Shaped, Commercial) | 800 (Eight hundred) | 10 (Ten) | |
| 19: 20 DM Puncher RDX 1.9/16" Part No. H 132902 UN No. 0441 Class: 1.4 S (Charges, Shaped, Commercial) | 30 (Thirty) | (one) | 541 ve forty one) |
| 20. 2.1/8 Energet III RDX Part No. 11 429563 UN No. 0441 Class: 1.4 S (Charges, Shaped, Commercial) | 540 (Five forty) | 6 (Six) | (and) |
| 21. 1.11/16" Ultra Cap Pa 7 No. H 448315 UN No. 0441 Class: 1.4 S (Charges, Shaped, Commercial) | 540 (Five forty) | 6 (Six) | |
| 22. Detonator DFC10 300 FPart No. H 448887 UN No. 0456 Class: 1.4 S (Demators, Electric) | 50 (Fifty) | 1 (One) | 5 (Five) |

Subject to the following conditions -

- 1. necessary clearance are obtained from the Director General Civil Aviation and International Airport Authority of India and conditions if any, imposed by the above two authorities shall be strictly complied with;
 - 2. the explosives conforming to Division 1.4 only shall be imported.
- 3. the relevant provisions relating to the possession, transport, use and import of explosives, as contained in the Explosives Rules, 1983, except sub-rule 2 of rule 31 shall be strictly complied with;
- 4. adequate number of explosives vans licensed under the Explosives Rules, 1983, shall be kept ready at the airport so that the explosives can be removed from the aircraft after its landing expeditiously;
- 5. the aircraft shall be parked at a remote place at the airport and an area of atleast 500 metres around the aircraft and explosives van shall be cordoned off by providing adequate number of security guards in consultation with the Director General of Civil Aviation before the transfer of explosives from Aircraft to van is started. The arrangement shall continue till the transfer is completed and the van duly locked leaves the site. No smoking or use of naked light shall be permitted within the cordoned area, and;
- 6. the vans carrying above explosives shall proceed to the storage magazines licensed under the Explosives Rules, 1983, and no undue delay shall be made on the way and all relevant rules and local regulations shall be observed during the transport.

[F. No. 2/16/94-DPR/EGGS] A. E. AHMAD, Jt. Secy.